## **Searching PAJ**

MENU NEWS HELP

S	earch Results: 11 Index Indication	Clear		
Text Search	If you want to conduct a Number Search, please click on the button	to the right. Number Search		
Applicant,Ti	tle of invention, Abstract — e.g. computer semiconductor			
=	O/OR operation, please leave a SPACE between keywords.  Stopwords are not searchable.			
iror	n chromium	AND 👻		
	AND			
bra	ze	OR 🔽		
	AND			
		AND 🗟		
	AND			
Date of publication of application — e.g.19980401 - 19980405				
	AND			
IPC — e.g. D01	B7/04 A01C11/02			
If you use the OR	operation, please leave a SPACE between keywords.			
	***			
	Search Stored data			

Copyright (C); 1998,2003 Japan Patent Office

## **Searching PAJ**

MENU NEWS HELP

	Search Results: 0			
Text Sea	rch If you want to conduct a Number Search, please click on the button	right. Number Search		
Applicant, Title of invention, Abstract — e.g. computer semiconductor				
If you use the	AND/OR operation, please leave a SPACE between keywords.			
One letter wo	rd or <u>Stopwords</u> are not searchable.			
	iron chromium	AND 🔄		
	AND			
	solder braze	OR 🔽		
·	AND			
	heat exchanger	AND 👻		
	AND			
Date of p	ublication of application e.g.19980401 - 19980405			
	AND			
IPC — e.g.	D01B7/04 A01C11/02			
If you use the	e OR operation, please leave a SPACE between keywords.	•		
*	Search Stored data			

Copyright (C); 1998,2003 Japan Patent Office

## **Searching PAJ**

MENU NEWS HELP

	Search Results: 41	Clear		
Text Sea	rch If you want to conduct a Number Search, please click on the button	to the right. Number Search		
Applican	t, Title of invention, Abstract — e.g. computer semiconductor			
- ·	AND/OR operation, please leave a <b>SPACE</b> between keywords. rd or <b>Stopwords</b> are not searchable.			
	iron chromium	AND 🔄		
	AND			
	solder braze	OR 🕏		
	AND			
,		AND 🐷		
	AND			
Date of publication of application e.g.19980401 - 19980405				
	AND			
IPC — e.g.	D01B7/04 A01C11/02			
If you use the OR operation, please leave a SPACE between keywords.				
	Search Stored data			

Copyright (C); 1998,2003 Japan Patent Office